

6800-1 PULLEY ASSY

MATERIAL:
 OUTER RACE: NYLATRON
 INNER RACE: 300 OR 303 SERIES CRES
 BALLS: 440C CRES, GRADE 10 OR 25
 BALL RETAINER: NYLATRON
 SEAL: TEFLON
 RETAINER: 301 CRES(FULL HARD 17-7PH)

FINISH:
 OUTER RACE: NYLATRON
 INNER RACE: PASSIVATE
 BALLS: N/A
 BALL RETAINER: NYLATRON
 SEAL: TEFLON
 RETAINER: PASSIVATE

GENERAL: STARTING TORQUE - .03 Oz. In.
 LUBRICATION - NONE

WEIGHT: .0173 LBS MAX

ALL INFORMATION ON THIS DRAWING IS PROPRIETARY TO HARPER ENGINEERING COMPANY.

All design, manufacturing, reproduction, use and sale rights regarding the same are expressly reserved except that this drawing may be reproduced by: the government of the United States of America only for distribution to government activities and/or personnel for purposes of maintenance, supply identification, stock listing and other related uses. All patent rights hereto are expressly reserved by

Harper Engineering Co.

UNLESS OTHERWISE SPECIFIED


ALL DIM ARE REFERENCE

DIMENSIONS ARE IN INCHES $\pm .010$
 ANGULAR DIMENSIONS ARE IN DEGREES $\pm 1^\circ$
 BREAK ALL CORNERS
 INTERNAL & EXTERNAL RADII .030 MAX
 MAXIMUM DRAFT 2°

Code Ident No.

34941

Harper Engineering Co.



200 S. Tobin St. Renton, Washington 98055

TITLE

6800
 PULLEY ASSY